

PCT/EP200 4 / 0 0 6 9 0 1

EP04/6901



INVESTOR IN PEOPLE

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

RECEIVED

04 AUG 2004

WIPO

PCT

26.07.2004

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Stephen Hordley

Dated

22 June 2004

BEST AVAILABLE COPY

Patents Form 1/77

Pat. Act 1977
(Rule 16)THE PATENT OFFICE
CF

25 JUN 2003

RECEIVED BY FAX

The
Patent
Office25JUN03 E817567-1 002950
P01/7700 0.00-0314730.3**Request for grant of a patent***(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)*

The Patent Office

Cardiff Road
Newport
South Wales
NP9 1RH

1. Your reference

P65610GB00

2. Patent application number

(The Patent Office will fill in this part)

0314730.3

3. Full name, address and postcode of the or of each applicant *(underline all surnames)*MICHAEL KELLY
123 Cullaville Road
Crossmaglen
Newry
BT35 9AQ
Northern IrelandPatents ADP number *(if you know it)*

If the applicant is a corporate body, give the country/state of its incorporation

8659575001

4. Title of the invention "A Collapsible Coffin"

5. Name of your agent *(if you have one)**"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)*9 University Street
Belfast
BT7 1FY
Northern Ireland
United KingdomPatents ADP number *(if you know it)*

7575053001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and *(if you know it)* the or each application number

Country

Priority application number
*(if you know it)*Date of filing
(day / month / year)

N/A

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

N/A

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? *(Answer 'Yes' if:*

0

a) any applicant named in part 3 is not an inventor, or
b) there is an inventor who is not named as an applicant, orc) any named applicant is a corporate body.
See note (d))

Patents Form 1/77

Enter the number of sheets for any of the following items you are filing with this form.
Do not count copies of the same document

Continuation sheets of this form	0
Description	7
Claim(s)	0
Abstract	0
Drawing(s)	3 only

CF

10. If you are also filing any of the following, state how many against each item.

Priority documents	0
Translations of priority documents	0
Statement of inventorship and right to grant of a patent (Patents Form 7/77)	0
Request for preliminary examination and search (Patents Form 9/77)	0
Request for substantive examination (Patents Form 10/77)	0
Any other documents (please specify)	0

11.

I/We request the grant of a patent on the basis of this application.

Signature *Tara Jennings*
TARA JENNINGS

Date 25/6/03

12. Name and daytime telephone number of person to contact in the United Kingdom

Tara Jennings - 028 9023 6000

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered "Yes" Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

A Collapsible Coffin

The present invention relates to a collapsible coffin.

5 Conventional coffins are generally rigid, heavy objects which are awkward and cumbersome to transport from one location to another. Such coffins are therefore not particularly suitable for transporting dead bodies from accident locations. Emergency services tend to rely on body
10 bags for the removal and transportation of dead bodies from such locations. Conventional body bags, however, provide very little or no support to the body contained therein.

It is therefore an object of the present invention to
15 provide a collapsible coffin which mitigates the disadvantages of the prior art.

Accordingly, there is provided a collapsible coffin comprising first and second opposed end members joined
20 together by first and second extendible side walls; the coffin being movable between a first, storage state, wherein the side walls are in a first, compressed state; and a second, in-use state, wherein the side walls are in a second, extended state.

25

Preferably, each of the side walls comprises a plurality of batons connected together by respective couplings so as to form a Z-shaped arrangement of batons.

30 Preferably, each of the side walls comprises a Z-shaped arrangement engageable with a further adjacent Z-shaped arrangement thereby forming a lattice.

Further preferably, the batons are capable of movement about the couplings such that the lattice is capable of concertina-like movement between the first and second states.

5

Preferably, the coffin also comprises a base portion disposed between the side walls and the end members.

10 Preferably, the base portion comprises a series of elongate rods, each of which rods is disposed between the side walls and located substantially parallel to the end members.

Preferably, the lattice includes a plurality of peaks and troughs formed from the batons.

15

Further preferably, a plurality of connecting arms is provided between respective adjacent peaks and/or troughs of the lattice.

20 Preferably, the coffin is substantially cuboid in its in-use state.

An embodiment of the invention will now be described with reference to the accompanying drawings in which:-

25

Figure 1 is a perspective view of a collapsible coffin according to a preferred embodiment of the present invention, in an in-use, extended state;

30 Figure 2 is a perspective view of the coffin of Figure 1 in a collapsed state, for storage;

Figure 3 is a perspective view of the coffin showing a plurality of connecting arms adapted to provide support to the side walls of the coffin in its in-use, extended state; and

5

Figure 3A is an enlarged view of one of the arms of Figure 3.

Referring now to the accompanying drawings, there is
10 illustrated a collapsible coffin 10 according to a preferred embodiment of the present invention. The coffin 10 preferably comprises first and second opposed end members 12, joined together by first and second extendible side walls 14. The coffin 10 also preferably comprises a
15 base portion 16 located between the side walls 14 and the end members 12. The coffin 10 is movable between a first, storage state, wherein the side walls 14 are in a first, compressed state, and a second, in-use state, wherein the side walls 14 are in a second, extended state, and the
20 coffin 10 is substantially cuboid.

Referring now to Figure 1, the side walls 14 are shown to comprise a plurality of batons 18 connected together by
25 respective couplings 20 so as to form a Z-shaped arrangement of batons. Each of the side walls 14 preferably comprises a first Z-shaped arrangement engageable with a second adjacent Z-shaped arrangement thereby forming a lattice. Preferably, the first Z-shaped arrangement abuts and substantially overlaps the second Z-shaped arrangement,
30 as shown in Figure 1. The lattice includes a plurality of peaks 24 and troughs 26 formed by adjacent batons 18. Each of the batons 18 is preferably connected at each end to a respective adjacent baton 18, such that the batons 18 are

hinged together by the couplings 20 located at the peaks 24 and troughs 26 of the lattice (and thereby forming the Z-shaped arrangements).

- 5 The batons 18 are capable of movement about the couplings 20 such that the lattice is capable of concertina-like movement between the first and second states. Although not shown in Figure 1, it will be apparent that the lattice may include further connecting means (not shown) to connect
10 the first and second adjacent Z-shaped arrangements where the batons 18 of said first and second Z-shaped arrangements overlap, thus providing an alternative hinging arrangement of the lattice. In this manner, the couplings 20 (and optionally, further connecting means) enable the
15 lattice to move between a collapsed state, for storage, and an in-use state.

The base portion 16 (shown in dotted lines in Figure 1) preferably comprises a plurality of rods 22, each of which
20 rods 22 extends between opposed troughs 26 of the side walls 14, and located substantially parallel to the end members 12. It will be appreciated that the base portion 16 may alternatively comprise a lattice (not shown) extending between the two end members 12 and side walls 14. In this
25 manner, the base portion lattice would be moveable between a first, compressed state and a second, extended state in the same way the lattices of the side walls 14 are moveable.

- 30 Referring now to Figures 3 and 3A, the coffin 10 may additionally comprise a plurality of connecting arms 28 preferably provided on the batons 18, such that when the coffin 10 is in its in-use state, the arms 28 may be used

to connect adjacent peaks 24 and/or adjacent troughs 26. The connecting arms 28 are preferably in the form of detachable latches or hooks as shown in Figure 3a, although it will be appreciated that any alternative form of
5 connecting arms 28 may be used. The connecting arms 28 conveniently provide additional support and rigidity to the side walls 14 in their in-use, extended state. Although the base portion 16 is not shown in Figure 3, it will be appreciated that the base portion 16 may be present.

10 It will be appreciated that a substantially cuboid cover (not shown) is preferably provided over the coffin 10. The cover is shaped and dimensioned so that it fits tightly over the coffin 10 when the coffin 10 is in its extended
15 state. The cover may be provided with one or more zips to provide easy access to the coffin 10, such that a portion of the cover may serve as a coffin lid (not shown). When the coffin 10 is in its first, compressed state, the cover will generally be folded and packed around the coffin 10
20 for storage. The cover may be made from any suitable material, such as a waterproof cloth or plastic.

A bag (not shown) may also be provided which is suitable to receive a body (not shown) within the coffin 10. The bag is
25 preferably shaped and dimensioned to suit the internal dimensions of the coffin 10 in its extended state. The bag preferably comprises a transparent waterproof material, such as plastic or the like. The bag may be sealed tightly using any suitable means, such that the body and any gases
30 or liquids associated with the body or its surroundings are also safely retained therein. The bag is generally kept within the coffin 10 until it is required.

When in the compressed state, the whole apparatus, including the bag and coffin 10 housed within the cover, is preferably of a suitable size for storing within a suitcase or the like. When the coffin 10 is required, for example at
5 an accident location, the coffin 10 is moved into its in-use state by extending the lattices forming the first and second side walls 14 (and optionally the base portion 16) as previously described herein. If present, the connecting arms 28 are used to connect adjacent peaks 24 and troughs
10 26, as shown in Figure 3, to provide more rigidity to the extended coffin 10.

One or more zips of the cover is then at least partially unzipped, to enable the bag to be removed from the coffin
15 10. Once a body has been placed in the bag, the bag is sealed and returned to the coffin 10. The cover is then generally re-zipped. The cover may be provided with handles (not shown) so that the coffin 10 may be conveniently carried. The present invention therefore provides a
20 convenient and relatively lightweight coffin 10 for the removal of bodies from the scene of an accident. The coffin 10 also provides sufficient support to the body being transported.

25 It will be appreciated that the invention is not limited to the embodiment described herein. For example, the side walls 14 may alternatively comprise a plurality of telescopic rods, hinged rods, foldable rods (not shown) or the like, joining the two end members 12. Thus, by
30 extending and compressing the rods, the coffin 10 would be moveable between the states previously described herein. Furthermore, the base portion 16 may also alternatively comprise a plurality of telescopic rods (not shown) or the

like. When the coffin 10 is extended into its in-use state, these telescopic rods could be extended to connect pairs of opposed troughs 26, so as to form the base portion 16. It will be appreciated that although the base portion 16 is preferably an integral part of the coffin 10, the base portion 16 is not actually required to be present. For example, the bag may be adapted so that it is in the form of a liner releasably attached to the side walls 14 thus forming a sheet upon which a body may be placed.

10

It will be apparent that the side walls 14, and, optionally, the base portion 16 (when in the form of a lattice), may be constructed to "click" and thereby lock in position when extended into the in-use state, by any conventional means. The side walls 14 may then be unlocked to return the coffin 10 to its compressed state for storage. It will be further apparent that the coffin 10 may also include a lid (not shown) which may, for example, be hinged to one of the side walls 14.

20

It will also be appreciated that although the coffin 10 is preferably used as an emergency coffin 10, it may be adapted in size or shape to suit any other particular need. In particular, if desired, the coffin 10 may be used on its side so that a body could be placed on one of the end members 12. It will be further appreciated that the coffin 10 is not limited to carrying bodies, and that it may be used to carry any other object or substance.

25

30 The present invention is not limited to the embodiment described herein which may be amended or modified without departing from the scope of the present invention.







FIGURE 1

2/3





PCT/EP2004/006901⁵⁵



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.